



## Heating Curve Of Mr.Perfect

		Air temperature(°C)	100% Capacity	50% Capacity	20% Capacity
MPC110	Heating capacity	27	11,0	5,5	3,3
	Heating capacity	20	8,9	4,5	2,7
	Heating capacity	15	7,7	3,9	2,3
	Heating capacity	12	6,9	3,5	
	Heating capacity	7	5,9		
	Heating capacity	2	5,3		
	Heating capacity	-7	4,4		
	Heating capacity	-15	3,5		

remark : water temperature 26°C

		Air temperature(°C)	100% Capacity	50% Capacity	20% Capacity
MPC110	C.O.P.	27	6,4	10,3	15,0
	C.O.P.	20	5,1	7,6	10,0
	C.O.P.	15	4,2	5,6	7,5
	C.O.P.	12	3,9	5,1	
	C.O.P.	7	3,5		
	C.O.P.	2	3,2		
	C.O.P.	-7	2,9		
	C.O.P.	-15	2,4		

remark : water temperature 26°C





		Air temperature(°C)	100% Capacity	50% Capacity	20% Capacity
MPC140	Heating capacity	27	13,8	6,9	4,1
	Heating capacity	20	11,0	5,5	3,3
	Heating capacity	15	9,2	4,6	2,8
	Heating capacity	12	8,2	4,1	2,5
	Heating capacity	7	6,9	3,5	
	Heating capacity	2	6,0		
	Heating capacity	-7	5,0		
	Heating capacity	-15	4,0		

remark : water temperature 26°C

		Air temperature(°C)	100% Capacity	50% Capacity	20% Capacity
MPC140	C.O.P.	27	6,2	10,1	15,0
	C.O.P.	20	5,1	7,7	10,1
	C.O.P.	15	4,2	5,8	7,6
	C.O.P.	12	3,9	5,2	
	C.O.P.	7	3,4		
	C.O.P.	2	3,0		
	C.O.P.	-7	2,6		
	C.O.P.	-15	2,2		

remark : water temperature 26°C





		Air temperature(°C)	100% Capacity	50% Capacity	20% Capacity
MPC170	Heating capacity	27	17,0	8,5	5,1
	Heating capacity	20	13,4	6,7	4,0
	Heating capacity	15	11,5	5,8	3,5
	Heating capacity	12	9,9	5,0	
	Heating capacity	7	8,1		
	Heating capacity	2	6,8		
	Heating capacity	-7	5,2		
	Heating capacity	-15	4,0		

remark : water temperature 26°C

		Air temperature(°C)	100% Capacity	50% Capacity	20% Capacity
MPC170	C.O.P.	27	6,0	10,4	15,0
	C.O.P.	20	5,0	8,0	11,0
	C.O.P.	15	4,2	6,7	7,8
	C.O.P.	12	3,9	6,0	
	C.O.P.	7	3,3		
	C.O.P.	2	2,8		
	C.O.P.	-7	2,3		
	C.O.P.	-15	1,8		

remark : water temperature 26°C





		Air temperature(°C)	100% Capacity	50% Capacity	20% Capacity
MPC220	Heating capacity	27	22,0	11,0	6,6
	Heating capacity	20	17,7	8,9	5,3
	Heating capacity	15	15,0	7,5	4,5
	Heating capacity	12	13,4	6,7	
	Heating capacity	7	11,5		
	Heating capacity	2	9,7		
	Heating capacity	-7	7,4		
	Heating capacity	-15	5,7		

remark : water temperature 26°C

		Air temperature(°C)	100% Capacity	50% Capacity	20% Capacity
MPC220	C.O.P.	27	6,3	11,2	15,5
	C.O.P.	20	5,2	8,5	11,2
	C.O.P.	15	4,5	6,5	8,2
	C.O.P.	12	4,2	5,9	
	C.O.P.	7	3,9		
	C.O.P.	2	3,6		
	C.O.P.	-7	2,5		
	C.O.P.	-15	2,3		

remark : water temperature 26°C





		Air temperature(°C)	100% Capacity	50% Capacity	20% Capacity
MPC270	Heating capacity	27	26,5	13,3	8,0
	Heating capacity	20	21,4	10,7	6,4
	Heating capacity	15	18,0	9,0	5,4
	Heating capacity	12	16,1	8,1	
	Heating capacity	7	13,5		
	Heating capacity	2	11,4		
	Heating capacity	-7	9,2		
	Heating capacity	-15	7,2		

remark : water temperature 26°C

		Air temperature(°C)	100% Capacity	50% Capacity	20% Capacity
MPC270	C.O.P.	27	5,7	9,5	15,2
	C.O.P.	20	4,9	7,5	10,5
	C.O.P.	15	4,3	5,9	7,9
	C.O.P.	12	4,1	5,5	
	C.O.P.	7	3,8		
	C.O.P.	2	3,4		
	C.O.P.	-7	2,3		
	C.O.P.	-15	2,1		

remark : water temperature 26°C





		Outdoor temperature(°C)	100% Capacity	50% Capacity	20% Capacity
MPC320s	Heating capacity	27	31,5	15,8	9,5
	Heating capacity	20	26,0	13,0	7,8
	Heating capacity	15	22,1	11,1	6,6
	Heating capacity	12	20,1	10,1	
	Heating capacity	7	17,5		
	Heating capacity	2	15,0		
	Heating capacity	-7	11,0		
	Heating capacity	-15	9,5		

remark : water temperature 26°C

		Outdoor temperature(°C)	100% Capacity	50% Capacity	20% Capacity
MPC320s	C.O.P.	27	6,5	11,6	15,8
	C.O.P.	20	5,6	9,1	11,3
	C.O.P.	15	4,9	6,8	8,0
	C.O.P.	12	4,6	6,3	
	C.O.P.	7	4,0		
	C.O.P.	2	3,5		
	C.O.P.	-7	2,8		
	C.O.P.	-15	2,4		

remark : water temperature 26°C



		Outdoor temperature(°C)	100% Capacity	50% Capacity	20% Capacity
MPC410s	Heating capacity	27	40,5	20,3	12,2
	Heating capacity	20	33,5	16,8	10,1
	Heating capacity	15	29,0	14,5	8,7
	Heating capacity	12	26,7	13,4	
	Heating capacity	7	23,2		
	Heating capacity	2	19,9		
	Heating capacity	-7	14,7		
	Heating capacity	-15	12,1		

remark : water temperature 26°C

		Outdoor temperature(°C)	100% Capacity	50% Capacity	20% Capacity
MPC410s	C.O.P.	27	5,8	10,7	16,5
	C.O.P.	20	5,1	8,5	11,2
	C.O.P.	15	4,5	6,4	8,3
	C.O.P.	12	4,2	5,9	
	C.O.P.	7	3,9		
	C.O.P.	2	3,5		
	C.O.P.	-7	2,8		
	C.O.P.	-15	2,3		

remark : water temperature 26°C

